





LMR BATTERY SPECIFICATIONS	PART NUMBER
	LEKNB51MHIS

COMPATIBLE RADIOS	Kenwood TK190, TK280, TK290, TK380, TK390, TK480, TK490, TK5400
REPLACES OEM BATTERY	KNB-51NC
CERTIFICATIONS & RATINGS	Certified by SGS to TIA-4950 / CSA C22.2 No. 157 / UL 913 5 th Edition standard for intrinsically safe use (Class I, Division 1, Groups C, D, T3C) and non-incendive use (Class I, Division 2, Groups A, B, C, D, T3C). IP54 rated.
COMPATIBLE CHARGERS	Endura TWC1-KW1A, TWC1M-KW1A, TWC6M-KW1A
VOLTAGE / CAPACITY	7.5V / 2100 mAh
CHEMISTRY	NiMH
CELL TYPE	FDK HR-4/5AU (Japanese)
OPERATING TEMPERATURE	0° C to +50° C (discharge) / 0° C to +40° C (charge)
CHARGE CYCLES	500
CHARGE TYPE	Rapid or trickle
CONDITIONER COMPATIBLE	Yes
THERMAL PROTECTION	Yes
HOUSING MATERIAL	ABS
HOUSING SEAL	Ultrasonic weld
METAL WELDING	Pure nickel tabs w/ spot welder
CLIP	N/A
WARRANTY	12 months
PRODUCT PHOTO (Brand: Logic Energy)	 <div data-bbox="1036 1549 1334 1873" style="border: 1px solid black; padding: 5px;"> <p>logic[™] ENERGY 7.2V / NiMH BATTERY</p> <p>CAUTION: DO NOT REMOVE OR RECHARGE BATTERY IN KNOWN HAZARDOUS AREA. DO NOT DISPOSE OF IN FIRE.</p> <p>ATTENTION: NE PAS ENLEVER NI RECHARGER CETTE PILE DANS UN ENDROIT DANGEREUX. NE PAS EXPOSER PRES DU FEU.</p> <p>Non-Incendive For Class I, Division 2, Groups A,B,C,D,T3C</p> <p>Intrinsically Safe / Intrinsicquement Sûr For Class I, Division 1, Groups C,D,T3C</p> <p>2100 mAh / 15.1 Wh PN: LEKNB51MHIS SN: 12-1E04 MADE IN USA</p>    </div>